



EPA GAS DECK FILLS AND MATCHING DIESEL, WATER & WASTE FILLS FOR 1-1/2" HOSE



Figs. 0660 & 0661 Sealed Ratcheting Cap Gas Fills with Vacuum Pressure Relief (VPR)

CONSTRUCTION:

- Chrome Plated Bronze Cap
- Black Polymer Body
- EPA Compliant Sealed Cap with Vacuum Pressure Relief Valve



Sealed Cap with VPR Valve



Fig. 0661 Straight



Fig. 0660 Angled

7

EPA Compliant Sealed Fuel Fill Ordering Information

Type	Neck	Sealed Cap Material	Dealer Pkg. - 5 Cards	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Lbs. DP/OEM Bulk
Gas	Angled	Chrome	With VPR 0660DPGCHR	0660G00CHR	4.5/16.8
Gas	Straight	Chrome	With VPR 0661DPGCHR	0661G00CHR	4.5/16.1

For Spare Cap Ordering Information See Page E-37

Tech Info

For Hose Size: 1-1/2"
 For Vent Hose: 5/8"
 O.D. Flange: 3-3/8"
 Neck Length: 2-7/16"
 Mounting Hole Dia.: 2-1/8"
 Screw Size: #8

These fills meet the CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.

Figs. 0540 & 0541 - Vented Diesel & Water Fills Patent Nos. 5,275,213 & 5,327,946

Fig. 0557 - Non-Vented Fuel & Water Fills Fig. 0556 - Waste Deck Plate

CONSTRUCTION:

- Chrome Plated Bronze Cap and Black Polymer Body
- Stainless Steel Bead Chain (except for Waste)
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve (on diesel only)
- Deck Plate Key and O-Ring Included



Fig. 0556 Waste

Figs. 0557 Fuel or Water



Fig. 0540 Water

Fig. 0541 Diesel

Ordering Info

Type	Neck	Cap Material	Dealer Pkg. 5 Cards	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Vented					
Diesel	Angled	Chrome	0540DPDCHR*	0540D00CHR*	4.2/15.1
Diesel	Straight	Chrome	0541DPDCHR*	0541D00CHR*	4.1/15.0
Water	Angled	Chrome	0540DPWCHR	0540W00CHR	4.2/15.1
Water	Straight	Chrome	0541DPWCHR	0541W00CHR	4.1/14.9
Non-Vented					
Diesel	Straight	Chrome	0557DPDCHR	0557D00CHR	4.0/18.0
Water	Straight	Chrome	0557DPWCHR	0557W00CHR	4.0/18.0
Waste	Straight	Chrome	0556DPOCHR**	0556000CHR**	3.8/17.5

Tech Info

For Hose Size: 1-1/2"
 Screw Size: #8
 Mounting Hole Dia.: 2-1/8"
 O.D. Flange: 3-3/8"
Vented
 For Vent Hose: 5/8"
 Neck Length: 2-7/16"
Non-Vented
 Neck Length: 3-1/8"



Fig. 1247



SPARE PARTS ORDERING INFORMATION

Diesel Cap, O-Ring & Retainer: 0540DPD99A
 Water Cap, O-Ring & Retainer: 0540DPW99A
 Waste Cap with O-Ring: 0556DP099A
 Deck Plate Key: 1247DP0BLK
 O-Ring Only: 054000099B

**NOTE: Fig. 0556 Complies with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.



*Note: Consider using the Mounting Ring (Fig. 0540DPRLK) for all installations. DP package includes mounting ring. See Page E-34





Figs. 0780 & 0781 Sealed Ratcheting Cap Gas Fills with Vacuum Pressure Relief (VPR) and Color Coded Metallic Insert

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap with Color Coded Metallic Insert
- Black Polymer Body and Tether
- EPA Compliant Sealed Cap with Vacuum Pressure Relief Valve
- Deck Plate Key Included

Fig. 0780



Fig. 0781



Sealed Cap with VPR Valve



Fig. 1241



***Note:** Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

EPA Compliant Sealed Fuel Fill Ordering Information

Type	Neck	Sealed Cap Material	Dealer Pkg. - 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Lbs. DP/OEM Bulk
Gas	Angled	Chrome	With VPR 0780DPGCHR	0780G00CHR	4.5/16.9
Gas	Angled	Stainless	With VPR 0780DPGSTS	0780G00STS	4.3/16.2
Gas	Straight	Chrome	With VPR 0781DPGCHR	0781G00CHR	4.5/17.4
Gas	Straight	Stainless	With VPR 0781DPGSTS	0781G00STS	4.3/16.6

Tech Info

For Hose Size: 1-1/2"
For Vent Hose: 5/8"
O.D. Flange: 3-3/8"
Neck Length: 2-7/16"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

For Spare Cap Ordering Information See Page E-37

These fills meet the CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.

Figs. 0580 & 0581 - Vented Fills for Diesel or Water with Color Coded Metallic Insert

Patent Nos. 5,275,213 & 5,327,946

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve
- Color Coded Metallic Inserts
- Black Polymer Body and Tether
- Deck Plate Key Included

Fig. 0580 Water



Fig. 0581 Diesel



Fig. 1241



***Note:** Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. See Page E-34

Ordering Info

Type	Neck	Cap Material	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. OEM Bulk
Diesel	Angled	Chrome	0580D00CHR*	17.2
Diesel	Angled	Stainless	0580D00STS*	15.8
Diesel	Straight	Chrome	0581D00CHR*	17.2
Diesel	Straight	Stainless	0581D00STS*	15.8
Water	Angled	Chrome	0580W00CHR	17.2
Water	Angled	Stainless	0580W00STS	15.8
Water	Straight	Chrome	0581W00CHR	17.2
Water	Straight	Stainless	0581W00STS	15.8

Tech Info

For Hose Size: 1-1/2"
Screw Size: #8
Mounting Hole Dia.: 2-1/8"
O.D. Flange: 3-3/8"
For Vent Hose: 5/8"
Neck Length: 2-7/16"

SPARE PARTS ORDERING INFORMATION

Metallic Insert Kit 0030DP0006 (Includes 4 inserts: Gas, Diesel, Water & Waste)
Deck Plate Key 1241DP0BLK

COLOR CODED METALLIC INSERTS





DIESEL, WATER AND WASTE DECK FILLS FOR 1-1/2" HOSE

Fig. 0551 - Non-Vented Diesel & Water Fills with Color Coded Metallic Inserts

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Color Coded Metallic Insert for Diesel or Water
- Black Polymer Body and Tether
- Deck Plate Key Included



Fig. 0551

7

Ordering Info			
Type	Cap Material	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. OEM Bulk
Diesel	Chrome	0551D00CHR	20.5
Diesel	Stainless	0551D00STS	18.0
Water	Chrome	0551W00CHR	20.5
Water	Stainless	0551W00STS	18.0

Tech Info
For Hose Size: 1-1/2"
Neck Length: 3-1/8"
O.D. Flange: 3-3/8"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION
 Metallic Insert Kit 0030DP0006
 (Includes 4 inserts: Gas, Diesel, Water & Waste)
 Deck Plate Key 1241DP0BLK

COLOR CODED METALLIC INSERTS



Fig. 1241



Fig. 0568 - Waste Deck Plate with Color Coded Metallic Insert

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Color Coded Metallic Insert
- Black Polymer Body and Tether
- Deck Plate Key Included



Fig. 0568

Ordering Info			
Type	Cap Material	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. OEM Bulk
Waste	Chrome	0568000CHR	19.5
Waste	Stainless	0568000STS	18.1

Tech Info
For Hose Size: 1-1/2"
O.D. Flange: 3-3/8"
Neck Length: 3-1/8"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8



Fig. 1241

NOTE: This Item Complies with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.



EPA GAS DECK FILLS AND MATCHING DIESEL AND WATER FILLS FOR 1-1/2" HOSE



Figs. 0782 & 0783 Sealed Ratcheting Cap Gas Fills with Vacuum Pressure Relief (VPR) and Resin Insert

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap with Color Coded Resin Insert
- Black Polymer Body and Tether
- EPA Compliant Sealed Cap with Vacuum /Over Pressure Relief Valve

Fig. 0782



Sealed Cap with VPR Valve

Fig. 0783



*Note: Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

EPA Compliant Sealed Fuel Fill Ordering Information

Type	Neck	Sealed Cap Material	Dealer Pkg. - 5 Cards Type	1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Lbs. DP/OEM Bulk
Gas	Angled	Chrome	With VPR	0782DPGCHR	0782G00CHR	4.5/18.0
Gas	Angled	Stainless	With VPR	0782DPGSTS	0782G00STS	4.3/17.0
Gas	Straight	Chrome	With VPR	0783DPGCHR	0783G00CHR	4.5/18.0
Gas	Straight	Stainless	With VPR	0783DPGSTS	0783G00STS	4.3/17.0

Tech Info

For Hose Size: 1-1/2"
 For Vent Hose: 5/8"
 O.D. Flange: 3-3/8"
 Neck Length: 2-7/16"
 Mounting Hole Dia.: 2-1/8"
 Screw Size: #8

For Spare Cap Ordering Information See Page E-37

These fills meet the CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.

Figs. 0582 & 0583 - Vented Fills for Diesel or Water with Color Coded Resin Insert

Patent Nos. 5,275,213 & 5,327,946

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve
- Color Coded Resin Insert
- Black Polymer Body and Tether
- Deck Plate Key Included

Fig. 0582 Diesel



Fig. 0583 Water



Fig. 1241

Ordering Info

Type	Neck	Cap Material	Dealer Pkg.** 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Diesel	Angled	Chrome	0582DP0CHR	0582D00CHR*	4.5/17.2
Diesel	Angled	Stainless	-----	0582D00STS*	--/15.8
Diesel	Straight	Chrome	0583DP0CHR	0583D00CHR*	4.5/17.2
Diesel	Straight	Stainless	-----	0583D00STS*	--/15.8
Water	Angled	Chrome	0582DP0CHR	0582W00CHR	4.5/17.2
Water	Angled	Stainless	-----	0582W00STS	--/15.8
Water	Straight	Chrome	0583DP0CHR	0583W00CHR	4.5/17.2
Water	Straight	Stainless	-----	0583W00STS	--/15.8

Tech Info

For Hose Size: 1-1/2"
 For Vent Hose: 5/8"
 O.D. Flange: 3-3/8"
 Neck Length: 2-7/16"
 Mounting Hole Dia.: 2-1/8"
 Screw Size: #8

*Note: Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

**Note: DP Pkg. includes fill, cap and 3 inserts (Gas, Diesel & Water). Use Gas insert on fill only with Non-EPA Compliant fuel systems.

SPARE PARTS ORDERING INFORMATION

Cap, O-Ring & Retainer: 0582DPC99A (Includes 3 Resin inserts: Gas, Diesel & Water)
 Resin Insert Kit: 0030DP0004 (includes 4 inserts: Gas, Diesel, Water & Waste)
 Deck Plate Key: 1241DP0BLK.

COLOR CODED RESIN INSERTS





DIESEL, WATER AND WASTE DECK FILLS FOR 1-1/2" HOSE

Fig. 0552 - Non-Vented Diesel & Water Fills with Color Coded Resin Insert

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Color Coded Resin Insert
- Black Polymer Body and Tether
- Deck Plate Key Included



Fig. 0552

DEALER PACKAGE INCLUDES 4 COLOR CODED RESIN INSERTS



Ordering Info				
Type	Cap Material	Dealer Pkg.** 5 Cards 1 Pc per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. OEM Bulk
Diesel	Chrome	0552DP0CHR	0552D00CHR	19.8
Water	Chrome	0552DP0CHR	0552W00CHR	19.8
Diesel	Stainless	-----	0552D00STS	18.5
Water	Stainless	-----	0552W00STS	18.5

Tech Info
For Hose Size: 1-1/2" O.D. Flange: 3-3/8" Neck Length: 3-1/8" Mounting Hole Dia.: 2-1/8" Screw Size: #8
**Note: DP Pkg. includes fill, cap and 4 inserts (Gas, Diesel, Water & Waste).



Fig. 1241

SPARE PARTS ORDERING INFORMATION

Spare Cap (Non-Vented): 0552DPC99A (includes 4 inserts)
 Resin Insert Kit: 0030DP0004 (includes 4 inserts)
 Deck Plate Key: 1241DP0BLK



Fig. 0569 - Waste Deck Plate with Color Coded Resin Insert

CONSTRUCTION:

- Chrome Plated Bronze or Stainless Steel Scalloped Cap
- Color Coded Resin Insert
- Black Polymer Body and Tether
- Deck Plate Key Included



Fig. 0569

Ordering Info			
Type	Cap Material	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. OEM Bulk
Waste	Chrome	0569000CHR	19.6
Waste	Stainless	0569000STS	18.2

Tech Info
For Hose Size: 1-1/2" O.D. Flange: 3-3/8" Neck Length: 3-1/8" Mounting Hole Dia.: 2-1/8" Screw Size: #8



Fig. 1241

SPARE PARTS ORDERING INFORMATION

Spare Cap (Non-Vented): 0552DPC99A (includes 4 inserts)
 Resin Insert Kit: 0030DP0004 (includes 4 inserts)
 Deck Plate Key: 1241DP0BLK

NOTE: This Item Complies with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.

EPA GAS DECK FILLS AND MATCHING DIESEL, WATER AND WASTE FILLS FOR 1-1/2" HOSE



Fig. 0790



Fig. 0791



Sealed Cap with VPR Valve

Figs. 0790 & 0791 Sealed Ratcheting Cap Gas Fills with Vacuum Pressure Relief (VPR)

CONSTRUCTION:

- Chrome Plated Bronze Cap
- Black Polymer Body
- EPA Compliant Sealed Cap with Vacuum Pressure Relief Valve
- Deck Plate Key Not Required

7

EPA Compliant Sealed Fuel Fill Ordering Information

Type	Neck	Sealed Cap Material	Dealer Pkg. - 5 Cards Type	1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Lbs. DP/OEM Bulk
Gas	Angled	Chrome	With VPR	0790DPGCHR	0790G00CHR	4.5/18.5
Gas	Straight	Chrome	With VPR	0791DPGCHR	0791G00CHR	4.5/18.9

For Spare Cap Ordering Information See Page E-37

Tech Info

For Hose Size: 1-1/2"
 For Vent Hose: 5/8"
 O.D. Flange: 3-3/8"
 Neck Length: 2-7/16"
 Mounting Hole Dia.: 2-1/8"
 Screw Size: #8

These fills meet the CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.

Figs. 0590 & 0591 - Vented Diesel & Water Fills

Patent Nos. 5,275,213 & 5,327,946

Fig. 0564 - Non-Vented Diesel & Water Fills

Fig. 0563 - Waste Deck Plate

CONSTRUCTION:

- Chrome Plated Bronze Cap
- Black Polymer Body
- Stainless Steel Bead Chain (except for Waste)
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve (on diesel only)
- Deck Plate Key Not Required



Fig. 0590 Diesel & Water



Fig. 0591 Diesel & Water



Fig. 0564 Diesel & Water



Fig. 0563 Waste

Ordering Info

Type	Neck	Vented	Cap Material	Dealer Pkg. 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Diesel	Angled	Yes	Chrome	0590DPDCHR*	0590D00CHR*	5.0/18.9
Diesel	Straight	Yes	Chrome	0591DPDCHR*	0591D00CHR*	5.0/18.1
Diesel	Strght	No	Chrome	0564DPDCHR*	0564D00CHR*	5.0/21.0
Water	Angled	Yes	Chrome	0590DPWCHR	0590W00CHR	5.0/18.7
Water	Straight	Yes	Chrome	0591DPWCHR	0591W00CHR	5.0/17.5
Water	Strght	No	Chrome	0564DPWCHR	0564W00CHR	5.0/21.0
Waste	Strght	No	Chrome	0563DP0CHR	0563000CHR	5.0/17.5

Tech Info

For Hose Size: 1-1/2"
 Screw Size: #8
 Mounting Hole Dia.: 2-1/8"
 O.D. Flange: 3-3/8"
Vented
 For Vent Hose: 5/8"
 Neck Length: 2-7/16"
Non-Vented
 Neck Length: 3-1/8"



*Note: Consider using the Mounting Ring (Fig. 0540DPRBLK) for all installations. DP package includes mounting ring. See Page E-34

SPARE PARTS ORDERING INFORMATION

Figs. 0590/0591 Gas Cap, O-Ring & Retainer: 0590DPG99A Figs. 0564/0590/0591 Diesel Cap, O-Ring & Retainer: 0590DPD99A
 Figs. 0564/0590/0591 Water Cap, O-Ring & Retainer: 0590DPW99A Fig. 0563 Waste Cap with O-Ring: 0563DP099A
 O-Ring Only: 054000099B

NOTE: Fig. 0563 Complies with Adopted Standards on "Fittings" A.B.Y.C. Recommended Practices Standards Covering Sewage Holding and/or Treatment Devices for Marine Waste Systems.





EPA GAS DECK FILLS AND MATCHING WATER FILLS FOR 1-1/2" HOSE

Figs. 0662 & 0663 Sealed Ratcheting Cap Gas Fills with Vacuum Pressure Relief (VPR)

CONSTRUCTION:

- Black or White Polymer Cap
- Black Polymer Body
- EPA Compliant Sealed Cap with Vacuum Pressure Relief Valve
- Deck Plate Key Not Required



Sealed Cap with VPR Valve



Fig. 0663

Fig. 0662



EPA Compliant Sealed Fuel Fill Ordering Information						
Type	Neck	Sealed Cap Material	Dealer Pkg. - 5 Cards Type	1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Lbs. DP/OEM Bulk
Gas	Angled	Blk Polymer	With VPR	0662DPGBLK	0662G00BLK	3.0/10.3
Gas	Angled	Wht Polymer	With VPR	0662DPGWHT	0662G00WHT	3.0/10.3
Gas	Straight	Blk Polymer	With VPR	0663DPGBLK	0663G00BLK	3.0/11.2
Gas	Straight	Wht Polymer	With VPR	0663DPGWHT	0663G00WHT	3.0/11.2

Tech Info
For Hose Size: 1-1/2"
For Vent Hose: 5/8"
O.D. Flange: 3-3/8"
Neck Length: 2-7/16"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

For Spare Cap Ordering Information See Page E-37

These fills meet the new CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.

Figs. 0542 & 0543 - Vented Water Fills - Patent Nos. 5,275,213 & 5,327,946

CONSTRUCTION:

- Black or White Polymer Cap with Black Polymer Body & Strap
- Integral Tank Vent with Flame Arrestor and Anti Surge Valve
- Fig. 1247 Deck Plate Key Included



Fig. 1247



Fig. 0543 Water



Fig. 0542 Water

Ordering Info					
Type	Neck	Cap Material	Dealer Pkg. 5 Cards 1 Pc. per Card	OEM Bulk Pkg. 25 Pcs.	Ship Wt. Carton Lbs. DP/OEM Bulk
Water	Angled	Black Poly	0543DPWBK	0543W00BLK	3.0/9.2
Water	Straight	Black Poly	0542DPWBK	0542W00BLK	3.0/9.2

Tech Info
For Hose Size: 1-1/2"
For Vent Hose: 5/8"
O.D. Flange: 3-3/8"
Neck Length: 2-7/16"
Mounting Hole Dia.: 2-1/8"
Screw Size: #8

SPARE PARTS ORDERING INFORMATION

Black Water Cap, O-Ring & Retainer: 0542DPW99B, O-Ring Only: 054000099B

Figs. 1428 & 1429 - Sealed Flip Top Cap Gas Fills with Vacuum Pressure Relief (VPR)

CONSTRUCTION:

- Black or White Polymer
- Integral Tank Vent with Flame Arrestor
- No Deck Plate Key or Ground Wire Required
- Flip Top Cap

Fig. 1428 Angled



Fig. 1429 Straight



EPA Compliant Sealed Fuel Fill Order Info			
Neck	Cap Material	OEM Bulk Pkg. 25 Pcs.	Shipping Weight Lbs.
35° Angled	Blk Polymer	1428G00BLK	9.9
Straight	Blk Polymer	1429G00BLK	7.6
Straight	Wht Polymer	1429G00WHT	7.6

Tech Info
For Hose Size: 1-1/2"
For Vent Hose: 5/8"
Neck Length: 2-7/16"
Screw Size: #10



These fills meet the CARB and EPA requirements of U.S.C.G. Safety Standards (July 31, 2011) for 40 CFR Parts 9, 60, 80 et al. Control of Diurnal Emissions From Nonroad Spark-Ignition Engines and Equipment.